

CDR High School Code Table & View

Background

- Uwsa.v_ths_high_school (view) and uwsa.ths_high_school (table) record Wisconsin high schools by CDR high school code as reported in the CDR Manual, Vol II, page VI.
- CDR high school codes are used by UW institutions to identify the high school students graduated from (DE 2110). The code table and view are used by OPAR to calculate the systemwide access rate by race/ethnicity for graduates of public high schools.
- Each high school has a 6-digit code that is equivalent to the code used by ACT, Inc., in the majority of cases. Several special-purpose codes are used to indicate a non-WI high school, home schooling, no high school diploma, etc. (see DE 2110 for details). Also, OPAR has assigned 6-digit codes to some high schools that do not have an ACT code.
- High school codes are retained for historical analyses and for cases when a new freshman has graduated from a high school that is no longer active.
- Currently the table has 897 high school codes, including 156 inactive high schools.

Enhancements to uwsa.v_ths_high_school and uwsa.ths_high_school

- Includes DPI district (agency) and school codes, to allow links to DPI enrollment and graduation data.
 - Seventy-four percent (668 of 897) of high schools have a valid value in dpi_dist_code and dpi_sch_code. Among all 741 active high schools, 653 (88%) have a valid value in dpi_dist_code and dpi_sch_code.
- The indicator of public/private high school has been updated and is more complete.
 - Ninety-two percent (828 of 897) of high schools have a valid value indicating whether it is a public or private school. Among the 69 high schools with a missing value in hs_type_ind, 40 are inactive high schools.

Fields	Description	Primary Source
Hs_code	6 digit code of type '50xxxx'	ACT, Inc.
Hs_name	High school name	ACT, Inc.
Hs_addr_1	High school address, line 1	ACT, Inc.
Hs_addr_2	High school address, line 2	ACT, Inc.
Hs_city_code	4 digit code to uniquely identify city, as specified in uwsa.ths_city	OPAR
Hs_city_name	High school city name. (Present only in v_ths_high_school.)	ACT, Inc.
Hs_zip_code	High school zip code	ACT, Inc.
Hs_cnty_code	County the high school is located in. Codes are converted to CDR county codes as listed in CDR Manual, Vol II, page VII and uwsa.ths_cnty_state_cntry	DPI
Hs_cnty_name	County the high school is located in. (Present only in v_ths_high_school.)	DPI
Hs_type_ind	'1'=Public, '2'=Private	DPI
Hs_inact_ind	'1'=Inactive, blank or null=active	ACT, Inc.
Hs_inact_date	Date inactive, if known; otherwise, date hs_inact_ind was updated	OPAR
Dpi_dist_code	4 digit code for school district	DPI
Dpi_sch_code	4 digit code for high school	DPI
Dpi_cesa_code	2 digit code from '01' to '12'	DPI
Nces_id_code	12 digit code typically of format '55'+ 5 digit district code + 5 digit school code	DPI
Nces_dist_code	5 digit code for school district	NCES
Nces_sch_code	5 digit code for high school	NCES
Hs_last_update	Date record was last updated	OPAR